

NCC LED Lighting

Date: 7/11/17

LED Lighting Products Listings - Outdoor

BL-12RFP \$198.33 **LED Bollard** Light Retrofit Package Equivalent to a 150-watt High Pressure Sodium or Metal Halide Fixture. **Consumption 12 watts.** This product may be used in applications that require **100-175W** illumination. 100K hour rated life with instant on. Multi-Volt 100v-277v and ROHS compliant. **LM-79-2008 tested for DLC listing.**



Designed to retrofit most any bollard currently using a **70W- 175W** High Pressure Sodium or Metal Halide bulb. We also have a “Security” minded package that includes battery backup for those occasions when power goes out, your Bollard lights will remain on. **The BL-12 RFP can be used in can lighting, track lighting and other applications where medium socket lamps are used.**



HC-11FLM \$219.33 **LED Floodlight** Bronze Fixture 9” Equivalent to a 175-watt High Pressure Sodium or Metal Halide Fixture. **Consumption 11.7 watts.** This product may be used in applications where **150-200W** illumination is required. 100K hour rated life with instant on. Multi-Volt 100V-277V and RoHS compliant. **LM-79-2008 tested for DLC listing.**



Great for multiple lighting applications: Integrated LED system for optimum lifetime performance of 10+ years. **Ideal for Parking Garages, Warehouses, apartments or anywhere you need light for an existing area.**

HC-11SLM \$239.33 LED Spotlight Bronze Fixture 9" Equivalent to a 175-watt High Pressure Sodium or Metal Halide Fixture. **Consumption 11.7 watts.** This product may be used in applications where 150-200W illumination is required. 100K hour rated life with instant on. Multi-Volt 100V-277V and RoHS compliant. LM-79-2008 tested for DLC listing.



Great for multiple lighting applications: Integrated LED System for optimum lifetime performance of 10+ years. **Ideal for Landscapes, Façade lighting, Billboards and Signage.**



HC-22RFP \$405.00 LED Retro Fit for Street/Parking/Pole lighting. Equivalent to a 350-watt High Pressure Sodium or Metal Halide Fixture. **Consumption 22 watts,** ideally suited for 20' pole. This product may be used in applications where 250-400W illumination is required. 100K hour rated life with instant on. Multi-Volt 100V-277V and RoHS compliant. LM-79-2008 tested for DLC listing.



Existing Street/Parking/Pole lighting fixtures use very high wattage along with

20th Century technology that requires constant maintenance. Metal halide, High Pressure Sodium, Low Pressure Sodium are among some of the most common older technologies that can benefit from an LED retrofit.



HC-22-3RFP \$495.00 LED Retro Fit for Street/Parking/Pole lighting. Equivalent to a 500-watt High Pressure Sodium or Metal Halide Fixture. **Consumption 38 watts,** ideally suited for 25'-30' pole. This product may be used in applications where 400- 500W illumination is required. 100K hour rated life with instant on. Multi-Volt 100V- 277V and RoHS compliant. LM-79-2008 tested for DLC listing.



Existing Street/Parking/ Pole lighting fixtures use very high wattage along

with 20th Century technology that requires constant maintenance. Metal halide, High Pressure Sodium, Low

Pressure Sodium are among some of the most common older technologies that can benefit from an LED retrofit. **Fits most commercial shoebox fixtures.**

HC-22 WPM \$445.00 LED Wall Pack Bronze Fixture 14", Equivalent to a 350- watt High Pressure Sodium or Metal Halide Fixture. **Consumption 22 watts.** This product may be used in applications where **250-400W** illumination is required. 100K hour rated life with instant on. Multi-Volt 100V-277V and RoHS compliant. **LM-79- 2008 tested for DLC listing.**



Great for multiple lighting applications: Integrated LED system for optimum lifetime performance of 10+ years. **Ideal for any Commercial applications at 15'-25' from ground level.**



HC-22 WPDSM \$507.39 LED Dark Sky Wall Pack Bronze Fixture 14" Equivalent to a 350-watt High Pressure Sodium or Metal Halide Fixture. **Consumption 22 watts.** This product may be used in applications where **250-400W** illumination is required. 100K hour rated life with instant on. Multi-Volt 100V-277V and RoHS compliant. **LM- 79-2008 approved.**



Great for multiple lighting applications: Integrated LED system for optimum lifetime performance of 10+ years. **Ideal for any Commercial applications at 15'-25' high.**



HC-22-3FLM \$520.00 LED Floodlight Bronze Fixture 12" Equivalent to a 500- watt High Pressure Sodium or Metal Halide Fixture. **Consumption 38.7 watts.** This product may be used in applications where **400-500W** illumination is required. 100K hour rated life with instant on. Multi-Volt 100V-277V and RoHS compliant. **LM-79- 2008 tested for DLC listing.**



Great for multiple lighting applications: Integrated LED system for optimum lifetime performance of 10+ years. **Ideal for any commercial application as a ground flood for up lighting buildings or landscaping and can be used for area lighting at 25'-30' maximum.**

Sports Stadium/Arena Indoor & Outdoor LED Lighting 750, 1000, 1500, 2000-Watt Equivalent - High Quality Lighting **Low Power Consumption** (10% or less of rated wattage equivalent i.e. (2000W = 200W or less Power Consumption) Low Heat for longer life (100,000 hours)

Call for application Quote



HC-100-RFP \$985.00 LED Retro Fit for Sports Stadium/Arena

(indoor/outdoor) Street/Parking/Pole lighting. Equivalent to a 1000-watt High Pressure Sodium or Metal Halide Fixture. **Consumption 90 watts**, ideally suited for 30'-38' poles. This product may be used in applications where 1000W illumination is required. 100K hour rated life with instant on. Multi-Volt 100V- 277V and RoHS compliant. **LM-79-2008 tested for DLC listing. Fits most commercial shoebox fixtures.**



LED Lighting Products Listing - Indoor

HC-65-mini \$407.00 LED Medium-high bay (recommended use -14'-20' ceiling height interior warehouse/manufacturing) **Replaces T-5 & T-8**

Consumption Wattage - 34W




COVERAGE AREA SUPERIOR TO FLORESCENTS Equivalent to 4 Bulb T8

HC-25-LB LED Low Bay/residential applications (recommended use - 8' - 12' ceiling height interior small fabrication shop/low ceiling awning areas residential vaulted ceiling/walkways **Consumption Wattage 25W**

12VDC Model \$167.00
Equivalent to 2 Bulb T8

100/277VAC model \$237.00



HC-12-Can LED \$198.33 *retail/residential Can/Track Lamp*. Equivalent to 100-watt Metal Halide. **Consumption Wattage -12W**

12VDC Model **available* (for use in straight DC wired multiple placement using a driver/PS control cabinet)*



HC-9-Universal LED \$38.50 *Low Bay/residential Can light/awning/stairwell, etc.* Equivalent to (150W MH). **Consumption Wattage -14W**

12VDC Model *(for use in straight DC wired multiple placement using a driver/PS control cabinet)*

100/277VAC Model \$137.00 (RETROFIT KIT)



HC-9-SL/VT Stair Light LED \$79.00 (Vertical Tread Mount)-Dimmable available in White/Black/Grey/Beige **75-watt Equivalent Consumption Wattage-9 watts**



Manufacturer's Warranty 7 years depending on application (*extended warranties available*)

